

List of apparatus, stock and block at the Government Central Distillery on the
1st January 1916.

| Serial No. | Description | Original value | | Add cost of renewal and additions | Present value | | Remarks |
|------------|---|----------------|-------|-----------------------------------|---------------|-------|---------|
| | | Rs. | a. p. | | Rs. | a. p. | |
| 1 | Country still with worm pipe | 503 | 2 2 | | 503 | 2 2 | |
| 2 | Condensing vat | 45 | 0 0 | | 45 | 0 0 | |
| 2A | 2 1/2" G. M. Gland cocks | 5 | 4 0 | | 5 | 4 0 | |
| 3 | 1 1/2" Stop cock | 12 | 4 9 | | 12 | 4 9 | |
| 4 | 1 Hydrometer lantern | 10,701 | 1 8 | 4,484 4 11 | 15,185 | 6 7 | |
| 5 | No. 1 Coffey still (old) | 19,375 | 15 5 | 3,284 11 0 | 22,610 | 10 5 | |
| 5A | No. 2 do (new) | | | 700 0 0 | 700 | 0 0 | |
| 6 | 3 G. M. Reducing valves | 283 | 13 7 | | 283 | 13 7 | |
| 7 | 2 Spent wash vats with copper coils | 846 | 4 1 | | 846 | 4 1 | |
| 8 | Balance old copper, etc., from English stills | 68 | 2 10 | | 68 | 2 10 | |
| 9 | 1 Sample testing still | 1,305 | 9 9 | | 1,305 | 9 9 | |
| 9A | 5 Steel beams under, above | 58 | 4 0 | | 58 | 4 0 | |
| 10 | 15 Spirit store vats | 8,147 | 12 5 | 71 14 7 | 8,219 | 11 0 | |
| 11 | 5 Special liquor vats | 442 | 0 1 | | 442 | 0 1 | |
| 11A | 6 1/2" G. M. Plug cocks | 21 | 8 0 | 21 9 0 | 21 | 9 0 | |
| 12 | 13 1/2" do | | | | | | |
| 12 | 1 1/2" do | 389 | 2 0 | | 389 | 2 0 | |
| 12A | 23 Sherry Butts | 68 | 2 10 | 35 0 0 | 68 | 2 10 | |
| 12B | 4 Cox's patent fillers and 25 spirit cocks | 470 | 12 7 | | 470 | 12 7 | |
| 12B | 4 1/2" Brass cocks | 5 | 11 7 | | 5 | 11 7 | |
| 12B | Stands for 23 Butts | 32 | 6 10 | | 32 | 6 10 | |
| 12C | Do 2 do | | | 2 8 0 | 2 | 8 0 | |
| 12C | Do 4 do | 8 | 12 10 | | 8 | 12 10 | |
| 13 | 10 Bottle racks | 597 | 7 9 | | 597 | 7 9 | |
| 13 | 2 Mixing vats each 700 | | | | | | |
| 13 | 44 Wash do 1,300 | | | | | | |
| 13 | 24 Do do 1,300 | | | | | | |
| 13 | 1 Do charger 1,000 | 9,278 | 5 6 | 25 3 1 | 9,298 | 5 7 | |
| 13 | 16 New vats each 1,200 | | | | | | |
| 13A | Wash vat covers | | | 2,806 4 10 | 2,806 | 4 10 | |
| 13B | 3 Copper strainers with brass rod and valves | 244 | 0 11 | | 244 | 0 11 | |
| 13C | 1 W. I. Tank 20' x 20' x 6' | 22 | 0 0 | | 22 | 0 0 | |
| 13C | 2 Condensers with copper coils, pipes, etc., and 4 copper cisterns, etc., from No. 7. | 1,300 | 0 0 | 3,216 4 1 | 3,216 | 4 1 | |
| 13D | T. Iron bars supports, etc., for 6 cultivation vats | | | | | | |
| 14 | 1 Galvanized iron tank 4' x 4' x 4' | 29 | 2 2 | 100 0 0 | 100 | 0 0 | |
| 14A | Stand for above | 1 | 0 10 | | 1 | 0 10 | |
| 14B | 1 1/2" G. M. Flanged cock | | | | | | |
| 14B | 2 1/2" Brass flanges | 5 | 15 2 | | 5 | 15 2 | |
| 15 | 4 Feet 1 1/2" pure tin pipe | | | | | | |
| 15A | 562 Feet T. W. Wash channel | 342 | 8 6 | 5 7 3 | 350 | 15 9 | |
| 15A | 9 Sets brass rods and valves | 90 | 7 11 | | 90 | 7 11 | |
| 15B | 48 Sets iron hangers and clamps | 67 | 3 8 | | 67 | 3 8 | |
| 15C | 1/2" copper pipe for wash with C. I. Flanges | | | 486 7 7 | 486 | 7 7 | |
| 16 | 130 ft. Lancashire Boiler | 4,730 | 2 1 | 692 11 5 | 5,422 | 13 9 | |
| 17 | 1 Cornish Boiler | 517 | 3 8 | | 517 | 3 8 | |
| 18 | 1 Portable Engine | 361 | 6 2 | 25 0 0 | 386 | 6 2 | |
| 19 | 1 Cochran vertical boiler | 295 | 10 7 | | 295 | 10 7 | |
| 19A | 1 W. I. Tank | 0 | 0 0 | | 0 | 0 0 | |
| 20 | 1 No. 5 G. M. Pulsometer (No. 1) | 503 | 1 4 | 33 0 5 | 536 | 1 9 | |
| 21 | 1 Do do (No. 2) | 1,092 | 1 5 | 20 12 0 | 1,092 | 15 5 | |
| 22 | 1 G. M. Rotary pump | 94 | 0 0 | | 94 | 0 0 | |
| 23 | 1 C. I. Pulsometer | 252 | 5 0 | | 252 | 5 0 | |
| 24 | 1 Tannery pump, (No. 1) | 812 | 2 0 | 71 12 0 | 883 | 14 0 | |
| 25 | 1 Do do (No. 2) | 460 | 0 0 | 59 7 0 | 519 | 7 0 | |
| 25A | 2 Spare barrels for do | 419 | 12 5 | | 419 | 12 5 | |
| 25A | 1 Worthington pump for wash, 7 1/2" x 3 1/2" x 6" | | | 2,071 14 0 | 2,071 | 14 0 | |
| 26 | 1 Worthington pump (mixing) | | | | | | |
| 27 | 1 Do feed pump (boiler) | 780 | 14 0 | 43 4 10 | 810 | 3 7 | |
| 28 | 1 Do do | 230 | 2 7 | 22 8 0 | 252 | 10 7 | |
| 29 | 1 Do do (spirit) | 425 | 0 0 | 13 0 0 | 438 | 0 0 | |
| 30 | 1 Directing, acting steam pump (spent wash) | 399 | 10 9 | | 399 | 10 9 | |
| 31 | 1 Donkey pump | 122 | 14 10 | 11 1 0 | 133 | 15 10 | |
| 32 | 1A Frame pump (spirit) | 214 | 5 2 | | 214 | 5 2 | |
| 32A | 1 Rotary lift pump | 83 | 14 2 | 6 0 0 | 89 | 14 2 | |
| 33 | 1 Yeast propagator | 11 | 15 6 | | 11 | 15 6 | |
| 34 | 1 Lathe | 999 | 10 3 | | 999 | 10 3 | |
| 35 | 1 Drilling machine | 110 | 4 9 | | 110 | 4 9 | |
| 36 | 1 Corking do | 38 | 14 0 | | 38 | 14 0 | |
| 36A | 1 Do do | 34 | 13 2 | | 34 | 13 2 | |
| 37 | 2 Capsuling do | | | 175 10 0 | 175 | 10 0 | |
| 37B | 1 Do do | 83 | 9 7 | | 83 | 9 7 | |
| 37A | 1 Bottle stand | | | 75 0 0 | 75 | 0 0 | |
| 38 | 1 Bottle washing machine and accessories | 2 | 10 0 | | 2 | 10 0 | |
| 39 | 3 Bench vice | 770 | 2 0 | | 770 | 2 0 | |
| 39A | 1 Pipe vice | 27 | 7 3 | | 27 | 7 3 | |
| 40 | 2 Sets stock tap and dies | 21 | 0 0 | | 21 | 0 0 | |
| 41 | 1 English bellows | 169 | 4 2 | | 169 | 4 2 | |
| 42 | 1 Tin casting bellows | 29 | 1 3 | | 29 | 1 3 | |
| 43 | 1 G. M. Bell and Iron stand | 9 | 5 7 | | 9 | 5 7 | |
| 44 | 10 1/2" Shafting, 1-3 ft., 1-1 1/2 ft. and 1-1 ft. pulleys | 28 | 12 3 | | 28 | 12 3 | |
| 44B | 4 Lengths 2" shafting and 6 plummer blocks | 22 | 1 4 | | 22 | 1 4 | |
| | | 182 | 4 4 | | 182 | 4 4 | |
| Scales. | | | | | | | |
| 45 | 4 Platform scales | | | | | | |
| | 2 Beam do | 300 | 2 4 | | 300 | 2 4 | |

| Serial No. | Description | Original value | Add cost of renewals and additions | Present value | Remarks |
|------------|---|---|------------------------------------|---|---------|
| | | Rs. a. p. | Rs. a. p. | Rs. a. p. | |
| 46 | 5 Trolleys | 157 8 0 | | 157 8 0 | |
| 47 | 1,149 ft. Tram lines | 438 8 8 | | 438 8 8 | |
| 48 | 50 Iron sleepers | 106 4 0 | | 106 4 0 | |
| 49 | 245 ft. Madras rails | 112 14 0 | | 112 14 0 | |
| 50 | 2 Copper charger tanks | 191 0 3 | | 191 0 3 | |
| 50A | 1 Do Intermediate tanks | | 85 0 0 | 85 0 0 | |
| 51 | 1 Do Points tanks | 175 0 0 | | 175 0 0 | |
| 52 | 2 Copper boilers for bark with fire-places, etc. | 93 5 4 | | 93 5 4 | |
| 53 | Copper vessels per list | 203 4 0 | | 203 4 0 | |
| 54 | Pure tin pipes— Receiver 251 feet 2 1/2" Warehouse 120 " 2 1/2" Do 40 1/2 " 1 1/2" 2,383 lbs. | 1,218 11 8 | | 1,218 11 8 | |
| 55 | 8-2 1/2" brass flanges 217 lbs. 10-1 1/2" do 17 " 234 lbs. | 108 6 3 | | 108 6 3 | |
| 55A | 2" copper hose connection, 12 lbs. 2" Nipples and caps 2 " 5 ft. copper pipe 10 " | 16 1 7 | | 16 1 7 | |
| 56 | 11-2" G. M. Gland cocks 1-1" " Globe wheel valve 5-1" " Gland cocks 7-2 1/2" " Stop cocks | 182 4 10 | 22 0 0 | 164 4 10 | |
| 56A | Hangers, bands, etc., for pure tin pipe | 22 12 10 | | 22 12 10 | |
| 57 | 100 feet 6" copper pipe 556 1/2 lbs. 18 1/2 " 3" do 74 " 82 " 2" do 36 " 2 " 1 1/2" do 8 " 2 funnels to chargers 80 " 800 1/2 lbs. | 217 3 4 | | 217 3 4 | |
| 58 | 4 1/2" brass flanges 12 lbs. 18 1/2" do 108 " 4 3/4" do 10 " 2 1/4" do 3 " 13 1/2 lbs. | 38 6 9 | | 38 6 9 | |
| 59 | 1 copper basin under mixing vat, 10 lbs. 6 feet 4" copper pipe 22 1/2 " 4 " 8" do flanges 32 " 64 1/2 lbs. | 16 4 5 | | 16 4 5 | |
| 60 | 1 box on pillar 1 1/2 feet 4" copper pipe 20 " 3" do Copper pipe to No. 4 room 1-8" brass flanges 4-3" do | 2 1 7 32 9 11 427 4 11 6 14 11 | | 2 1 7 32 9 11 427 4 11 6 14 11 | |
| 61 | Connections on still. | | | | |
| 62 | 20 feet 1" copper pipe | 34 0 0 | | 34 0 0 | |
| 62A | 20 " 1 1/2" pure tin pipe, 40 lbs. | | | | |
| 63 | Iron pipes, etc., still pumps | 40 14 10 | 16 2 6 | 47 0 10 | |
| 63A | Iron boiler | 75 9 7 | | 75 9 7 | |
| 64 | Iron Receiver | 43 0 6 | | 43 0 6 | |
| 64A | Iron Pulsometer | 92 10 7 | 2 10 0 | 95 0 7 | |
| 65 | Iron boiler | 742 3 2 | | 742 3 2 | |
| 66 | 1 wooden tub 2 feet 2" copper pipe 2 brass flanges | 19 6 10 6 4 10 | | 19 6 10 6 4 10 | |
| 67 | Iron pipe receiver (water) | 15 15 6 | | 15 15 6 | |
| 68 | Spares stock | | 1,178 0 0 | 1,178 0 0 | |
| 69 | 1 set special hydrometer 60 Hydrometers and thermometers 1 set gravity heads and 15 hydrometer glasses | 37 1 0 123 13 6 40 0 0 | | 37 1 0 123 13 6 40 0 0 | |
| 70 | 12 buckets 10 1/2 tubs 90 tubs and cover for 90 | 135 12 10 | | 135 12 10 | |
| 71 | Wire netting, store shelves, hand trucks crane and lift 1 hand trolley | 88 8 10 15 0 0 | | 88 8 10 15 0 0 | |
| 72 | 1 cash chest | 331 13 6 | | 331 13 6 | |
| 73 | Clock, almirah and table Tables, etc. | 39 6 0 86 5 7 | | 39 6 0 86 5 7 | |
| 74 | Brackets, etc. Basins, etc. | 15 1 3 46 3 9 | | 15 1 3 46 3 9 | |
| 75 | Receiver, lock bars, cock boxes, etc. Additional pipe, connections to yeast propagator | 24 2 0 16 1 0 | | 24 2 0 16 1 0 | |
| Total. | | 69,218 2 1 | 19,622 8 3 | 89,140 10 4 | |

No. 6959—Ml. 47-15-58, dated 17th March 1916.

Under Section 6 of the Land Acquisition Regulation, VII of 1894, it is hereby declared that the lands described hereunder are required for a public purpose, viz., to form a road

from 6th cross road to join Gavipur road, and under Sections 7 and 3 (c) of the said Regulation, the Senior Vice-President, Bangalore City Municipal Council is appointed to perform the functions of a Deputy Commissioner and he is authorised to take order for the acquisition of the said lands:—

| District | Taluk | Hobli | Village | Names of khatedars or owners | Survey No. | Dry, wet or garden | Total extent | Kharab | Remaining extent | Extent now required | | Boundaries | | | |
|-----------|-----------|--------|------------|---|------------|--------------------|--------------|--------|------------------|-------------------------------|--------|-------------------------------------|-------------------------------------|------------------------------------|------------------------------------|
| | | | | | | | | | | Extent | Area | East | West | North | South |
| | | | | | | | | | | | | | | | |
| Bangalore | Bangalore | Kasaba | Guttahalli | M. Chokkalinga Mudaliar, Mr. K. R. Srinivasa Iyengar. | 34 | Garden | 5 2 0 25 | 4 17 | | Length in ft. 183+150 " 40 | 6' 11" | Gavipur road. | Storm water drain and Survey No. 35 | Remaining portion of Survey No. 34 | Remaining portion of Survey No. 34 |
| | | | | Yamannah | 35 | | 2 1 0 1 | 2 0 | | 295 | 40 | Storm water drain and Survey No. 34 | Brahmin's dies | Remaining portion of Survey No. 35 | Remaining portion of Survey No. 36 |

REMARKS.—Sketch showing the property may be inspected in the City Municipal Office, Bangalore.

No. 7012—Ml. 54-15-24, dated 18th March 1916.

Under Section 6 of the Land Acquisition Regulation, VII of 1894, it is hereby declared that the land described hereunder is required for a public purpose, viz., construction of plague sheds in the Tumkur Town Municipality and under Sections 7 and 3 (c) of the said Regulation, the Assistant Commissioner in charge of District Treasury is appointed to perform the functions of a Deputy Commissioner and is authorised to take order for the acquisition of the said land:—

| District | Taluk | Hobli | Village | Name of khatedar or owner | Survey No. | Dry, wet or garden | Total extent | Kharab | Remaining extent | Assessment | Extent now required | | Boundaries | | | |
|----------|--------|--------|---------|-------------------------------|------------|--------------------|-----------------------|----------|-----------------------|------------|---------------------|------------|----------------|----------------|----------------|-------------------------------------|
| | | | | | | | | | | | Extent | Assessment | East | West | North | South |
| | | | | | | | | | | | | | | | | |
| Tumkur | Tumkur | Tumkur | Tumkur | Eralakka b's Lakkansika Phode | 139 | Dry | 5 acres and 36 guntas | 9 guntas | 5 acres and 27 guntas | " | 2 acres | " | Survey No. 133 | Survey No. 140 | Kambalayamalya | Remaining portion of Survey No. 139 |

By Order,
P. G. D'SOUZA,
Secretary to Government,
In charge Revenue Department.

EDUCATION AND AGRICULTURE.

No. 4979—Edn. 442-11-13, dated 21st March 1916.

Under Section 6 of the Land Acquisition Regulation, VII of 1894, it is hereby declared that the land described hereunder is required for a public purpose, viz., additional block of buildings needed for the Maharaja's College Students' Home, and under Sections 7 and 3 (c) of the said Regulation, the Assistant Commissioner in charge of the Mysore Sub-

Division, is appointed to perform the function of a Deputy Commissioner under the said Regulation and authorised to take order for the acquisition of the said land:—

| District | Taluk | Hobli | Village | Name of Khatedar or owner | Survey No. | Whether dry, wet or garden, vacant site, house (tiled, terraced or semi-roofed) | Total extent | Remaining extent | Assessment | Extent now required | | Boundaries | | | |
|----------|--------|--------|-------------|---------------------------|------------|---|----------------|---|-------------|---------------------|---------------------|-----------------|----------------------------------|----------------|---|
| | | | | | | | | | | Extent | Assessment | East | West | North | South |
| Mysore | Mysore | Mysore | Mysore City | Mr. T. Basavaraj Urs | 1049 | Brick buildings tiled with Mangalore tiles and also vacant site. | A. g. 8 26½ | House tax H. Water tax W. Lighting tax L. A. g. 26½ | Rs. 95 15 0 | A. g. 8 26½ | Rs. a. p. 45 0 0 | Government land | College Students' Home compound. | Channaray road | Head to the Law Courts and also consorvancy lane. |

No. 4981—A. & I. 17-15-100, dated 21st March 1916.

The undermentioned gentlemen are, under Rule 4 of the rules issued with Government Order No. 4450-4500—A. & I. 17-14-39, dated 28th April 1915, appointed members of the Progress Committee, Hosdurga Taluk:—

The Amildar, Hosdurga Taluk, to be *ex-officio* Chairman.

Members.

1. Mr. Jodidar Shamachar, landholder, Hosdurga.
2. " B. V. Narayana Rao, landholder, Bagur.
3. " Phaniappa, landholder, Hosdurga.
4. " Thippegowda, toddy contractor, Hosdurga.
5. " Nagendrappa, landholder and Shanbhog, Devapur, Madadakere.
6. " Channabasappa Chetti, sowcar and landholder, Belagur, Budihal Hobli.
7. " Subbaiya Naidu, landholder, Ballalasamudra, Hosdurga.
8. " Nagappa, Paledaballi, landholder.
9. " Sitaramaiya, landholder, Mathod.
10. " Keshavappa, do
11. " D. Ramanna, landholder and merchant, Hosdurga.

No. 4984—A. & I. 17-15-101, dated 21st March 1916.

The undermentioned gentlemen are, under Rule 4 of the rules issued with Government Order No. 4450-4500—A. & I. 17-14-39, dated 28th April 1915, appointed members of the Progress Committee, Jagalur Taluk:—

The Amildar, Jagalur Taluk, to be *ex-officio* Chairman.

Members.

- | | |
|---|------------------------------------|
| 1. Mr. Yerehalli Tippaiya. | 6. Mr. Nagoji Rao, Jagalur. |
| 2. " Gadimakunte patel Basappa. | 7. " Gurappa, Donehalli. |
| 3. " Devikere Gurusiddappa. | 8. " H. Rama Rao, Jagalur. |
| 4. " Sanna Thammanna, sowcar, Kalledevarpura. | 9. " Papanna, Bilchode. |
| 5. " Tippanna, sowcar, Jagalur. | 10. " Nibagur Mallappa, Asagod. |
| | 11. " Kasetti Kariveerappa, Sokke. |

By Order,

P. G. D'SOUZA,

Offg. Secretary to Government,
Departments of Education and Agriculture.